


Spine
Spine McCulloch
Spine RCS





**Karmody
spring wire retractor**
with 2 blades
RC 0200 - 89mm
RC 0202 - 134mm



Spring wire retractor
RC 0210 - 76mm



Thompson
lamina spreader
single pronged
RS 1150 - 210mm, tip depth 20mm
RS 1152 - 210mm, tip depth 40mm
RS 1154 - 210mm, tip depth 60mm
RS 1156 - 210mm, tip depth 100mm



Thompson
lamina spreader
spinal process spreader
mod. bayonet shaped
RS 1158 - 200mm

Allows exposure far laterally. Four different sizes allow the use over the whole range of the spine from the cervical to the lumbar region, and also in patients of all ages.




Vertebra spreader
with ring handles
RS 2620 - 5 / 150mm




Vertebra spreader
with speedlock
RS 2621 - 5 / 150mm




Vertebra spreader
with rack
RS 2622 - 5 / 150mm



Inge
lamina spreader
curved jaw, with rack
RS 7535 - 7 / 180mm, spread 34mm



Inge
lamina spreader
curved with speedlock, short jaws
RS 7545 - 8 / 280mm, spread 30mm




Inge
lamina spreader,
curved jaw, speedlock type
RS 7543 - 12 / 280mm, spread 30mm
RS 7544 - 12 / 280mm, spread 65mm



vertebra spreader

RS 2624 - 430mm

extra-strong, double action with speedlock



**Ducker / Feler-Ducker
blade left**

overall length 170mm

Feler-Ducker:

RS 1300 - blade 40x10mm

RS 1301 - blade 50x10mm

RS 1302 - blade 60x10mm

RS 1303 - blade 70x10mm

Ducker:

RS 1304 - blade 50x20mm

RS 1305 - blade 60x20mm

RS 1306 - blade 70x20mm



**Ducker / Feler-Ducker
blade right**

overall length 170mm

Feler-Ducker:

RS 1307 - blade 40x10mm

RS 1308 - blade 50x10mm

RS 1309 - blade 60x10mm

RS 1310 - blade 70x10mm

Ducker:

RS 1311 - blade 50x20mm

RS 1312 - blade 60x20mm

RS 1313 - blade 70x20mm



**Ducker / Feler Ducker
blade both sides**

overall length 170mm

Feler-Ducker:

RS 1321 - blade 60x10mm

RS 1322 - blade 70x10mm

Ducker:

RS 1320 - blade 90x20mm

Feler-Ducker = 10mm blade width

Ducker = 20mm blade width

retractors




Adson-Baby

3x4 prongs (15mm)
hinged arms
RS 1030 - 160mm, sharp
RS 1031 - 160mm, blunt



Adson

4x4 prongs (24mm)
RS 1057 - 200mm, sharp, arms straight
RS 1058 - 188mm, sharp, arms curved




Adson

3x4 prongs (30mm)
curved arms
RS 1040 - 265mm, sharp



Anderson-Adson

4x4 prongs (20mm), curved arms
RS 1044 - 190mm, sharp
RS 1045 - 190mm, blunt





Weitlaner

2x3 prongs

RS 1500 - 110mm, sharp

RS 1600 - 110mm, semi-sharp

RS 1700 - 110mm, blunt



Weitlaner

3x4 prongs

RS 1502 - 130mm, sharp

RS 1602 - 130mm, semi-sharp

RS 1702 - 130mm, blunt

Weitlaner

3x4 prongs

RS 1504 - 165mm, sharp

RS 1604 - 165mm, semi-sharp

RS 1704 - 165mm, blunt



Weitlaner

4x4 prongs

RS 1016 - 160mm, semi-sharp



Weitlaner

6x7 prongs

RS 1010 - 200mm, sharp

RS 1015 - 200mm, blunt



Weitlaner

3x4 prongs

RS 1508 - 240mm, sharp

RS 1608 - 240mm, semi-sharp

RS 1708 - 240mm, blunt

retractors



Cone

3x4 prongs (27mm), hinged arms
RS 1108 - 250mm, sharp
RS 1109 - 250mm, semi-sharp
RS 1110 - 250mm, blunt



Beckman-Adson

4x4 prongs (18mm), hinged arms
RS 1051 - 310mm, semi-sharp
RS 1052 - 310mm, blunt



Beckman-Adson

4x4 prongs (18mm)
hinged arms, heavy pattern
RS 1050 - 310mm, sharp



Beckman-Eaton

7x7 prongs (47mm)
hinged arms, heavy pattern
RS 1059 - 320mm, blunt
RS 1060 - 320mm, sharp

Scoville STANDARD

style without blade setting system:


blades swivable



Scoville MODIFIED

style with internal toothing:

blades non-swivable



Scoville standard
RS 7702 - rigid retractor

Scoville modified
RS 7752 - rigid retractor



Scoville-Haverfield standard
RS 7704 - adjustable retractor

Scoville-Haverfield modified
RS 7754 - adjustable retractor



Scoville-Haverfield standard set
RS 7703SET - Scoville-Haverfield set standard
RS 7704 - Scoville-Haverfield retractor adjustable
RS 7710 - Scoville blade 58mm, hook shaped, broad
RS 7737 - Scoville blade 60x25mm, 4 teeth

Scoville-Haverfield modified set
RS 7753 - Scoville-Haverfield set modified
RS 7754 - Scoville-Haverfield retractor adjustable
RS 7760 - Scoville blade 58mm, hook shaped, broad
RS 7787 - Scoville blade 60x25mm, 4 teeth

Scoville STANDARD

style without blade setting system:

blades swivable



Scoville blade pointy

RS 7705 - 57mm

RS 7706 - 77mm



Scoville blade wide

RS 7707 - 57mm

RS 7708 - 83mm



Scoville blade wide with crossbar

RS 7709 - 48mm

RS 7710 - 58mm

RS 7711 - 78mm



Scoville blade with teeth

RS 7712 - 50x35mm, 3 teeth

RS 7713 - 45x39mm, 3 teeth

RS 7714 - 50x50mm, 4 teeth

RS 7715 - 62x57mm, 4 teeth

RS 7716 - 70x46mm, 4 teeth

RS 7717 - 80x57mm, 4 teeth



Scoville blade with teeth

RS 7737 - 60x25mm, 4 teeth

RS 7738 - 78x29mm, 4 teeth

RS 7739 - 78x51mm, 8 teeth

RS 7740 - 91x26mm, 4 teeth



Epstein blade fenestrated

RS 7741 - 57x26mm



Scoville MODIFIED

style with internal toothing:

blades non-swivable



Scoville blade pointy

RS 7755 - 57mm

RS 7756 - 77mm

Scoville blade wide

RS 7757 - 57mm

RS 7758 - 83mm

Scoville blade wide with crossbar

RS 7759 - 48mm

RS 7760 - 58mm

RS 7761 - 78mm

Scoville blade with teeth

RS 7762 - 50x35mm, 3 teeth

RS 7763 - 45x39mm, 3 teeth

RS 7764 - 50x50mm, 4 teeth

RS 7765 - 62x57mm, 4 teeth

RS 7766 - 70x46mm, 4 teeth

RS 7767 - 80x57mm, 4 teeth

Scoville blade with teeth

RS 7787 - 60x25mm, 4 teeth

RS 7788 - 78x29mm, 4 teeth

RS 7789 - 78x51mm, 8 teeth

RS 7790 - 91x26mm, 4 teeth

Scoville STANDARD

style without blade setting system:

blades swivable



Meyerding blade 8 teeth

RS 7731 - 48x25mm
RS 7732 - 62x25mm
RS 7733 - 70x25mm
RS 7734 - 78x25mm
RS 7735 - 81x25mm
RS 7736 - 92x50mm



Hibbs blade with teeth

RS 7718 - 48x19mm,	3 teeth
RS 7719 - 58x51mm,	8 teeth
RS 7720 - 51x26mm,	4 teeth
RS 7721 - 60x38mm,	6 teeth
RS 7722 - 65x26mm,	4 teeth
RS 7723 - 74x38mm,	6 teeth
RS 7724 - 74x64mm,	10 teeth
RS 7725 - 78x50mm,	8 teeth
RS 7726 - 80x26mm,	4 teeth
RS 7727 - 89x26mm,	4 teeth
RS 7728 - 92x39mm,	6 teeth
RS 7729 - 104x51mm,	8 teeth
RS 7730 - 105x26mm,	4 teeth



Scoville MODIFIED

style with internal toothing:

blades non-swivable



Meyerding blade 8 teeth

RS 7781 - 48x25mm
RS 7782 - 62x25mm
RS 7783 - 70x25mm
RS 7784 - 78x25mm
RS 7785 - 81x25mm
RS 7786 - 92x50mm

Hibbs blade with teeth


RS 7768 - 48x19mm,	3 teeth
RS 7769 - 58x51mm,	8 teeth
RS 7770 - 51x26mm,	4 teeth
RS 7771 - 60x38mm,	6 teeth
RS 7772 - 65x26mm,	4 teeth
RS 7773 - 74x38mm,	6 teeth
RS 7774 - 74x64mm,	10 teeth
RS 7775 - 78x51mm,	8 teeth
RS 7776 - 80x26mm,	4 teeth
RS 7777 - 89x26mm,	4 teeth
RS 7778 - 92x39mm,	6 teeth
RS 7779 - 104x51mm,	8 teeth
RS 7780 - 105x26mm,	4 teeth

Taylor special blade

RS 7792 - 80x31mm
RS 7793 - 105x42mm

Schmidt blade wide with pointed tip

RS 7794 - 60mm
RS 7795 - 70mm



French blunt blades

blunt blade 12mm

RS 7608 - 12x30mm
RS 7603 - 12x40mm
RS 7604 - 12x50mm
RS 7609 - 12x60mm
RS 7605 - 12x65mm
RS 7607 - 12x75mm
RS 7606 - 12x85mm
RS 7639 - 12x100mm

blunt blade 20mm

RS 7634 - 20x30mm
RS 7644 - 20x40mm
RS 7654 - 20x50mm
RS 7664 - 20x65mm
RS 7674 - 20x75mm
RS 7684 - 20x85mm
RS 7689 - 20x110mm

blunt blade 4mm

super narrow
RS 7646 - 4x40mm
RS 7647 - 4x50mm
RS 7648 - 4x70mm



French sharp blades with prongs

sharp blade 12mm

RS 7636 - 12x30mm
RS 7645 - 12x40mm
RS 7656 - 12x50mm
RS 7666 - 12x60mm

sharp blade 20mm

RS 7635 - 20x30mm
RS 7649 - 20x40mm
RS 7657 - 20x50mm



French laminectomy retractor

RS 7602



French semi-sharp blade

semi-sharp blade 12mm


RS 7668 - 12x65mm



French Taylor type blade

Taylor type blade 12mm

RS 7678 - 12x75mm




Karlin retractor
RS 3141 - spread 140mm




Karlin ratchet
RS 3142



Karlin standard blades
RS 3143 - 31x38mm, L
RS 3144 - 31x38mm, R



Karlin standard blades
RS 3145 - 61x44mm, L
RS 3146 - 61x44mm, R




Karlin universal blade
RS 3147 - 76x64mm



Karlin special offset blades

L	R	
RS 3510	RS 3511	19x31mm
RS 3512	RS 3513	19x44mm
RS 3514	RS 3515	19x57mm
RS 3516	RS 3517	19x76mm
RS 3518	RS 3519	19x83mm
RS 3520	RS 3521	19x102mm

Karlin universal other
RS 3522 - 51x102mm
RS 3523 - 51x63mm
RS 3524 - 51x76mm
RS 3525 - 76x76mm
RS 3526 - 76x102mm



Spredy lumbar spreader
 single hinged including blade connectors
 RS 3550-TI - 240mm



Spredy simple blade holder
 for retractor RS 3550-TI
 RS 3552-TI



Spredy adjustable blade holder
 for retractor RS 3550-TI
 RS 3554-TI



Spredy transverse / cervical lumbar spreader
 double hinged
 RS 3580-TI - 125mm max. spread



Spredy lumbar hooks

RS 3575-TI - 6x42mm
RS 3576-TI - 6x52mm
RS 3577-TI - 6x62mm
RS 3578-TI - 6x72mm



Spredy lumbar blades blunt

RS 3583-TI - 15x30mm
RS 3584-TI - 15x40mm
RS 3585-TI - 15x50mm
RS 3586-TI - 15x60mm
RS 3587-TI - 15x70mm



Spredy lumbar blades 3 teeth

RS 3590-TI - 24x30mm
RS 3591-TI - 24x35mm
RS 3592-TI - 24x40mm
RS 3593-TI - 24x50mm
RS 3594-TI - 24x60mm
RS 3595-TI - 24x70mm
RS 3596-TI - 24x80mm
RS 3597-TI - 24x90mm
RS 3598-TI - 24x100mm
RS 3599-TI - 24x110mm



Spredy lumbar blades 5 teeth

RS 3561-TI - 45x46mm
RS 3563-TI - 45x56mm
RS 3565-TI - 45x66mm
RS 3567-TI - 45x76mm



Spredy lumbar blades 6 teeth

RS 3560-TI - 60x46mm
RS 3562-TI - 60x56mm
RS 3564-TI - 60x66mm
RS 3566-TI - 60x76mm




Spredy sacral lumbar retractor blades V1

RS 3570-TI - 30x36mm
RS 3571-TI - 60x41mm




Spredy sacral lumbar retractor blades V2

RS 3572-TI - 30x36mm
RS 3573-TI - 60x41mm




Greco suction tube

RL 2064 - Ø 3,3mm, ang. 90°, 160mm
RL 2063 - Ø 5,0mm, ang. 90°, 160mm




Greco suction tube

RL 2070 - Ø 3,3mm, ang. 45°, 180mm
RL 2072 - Ø 5,0mm, ang. 45°, 180mm




Greco suction tube without basket

RL 2065 - Ø 3,3mm, ang. 60°, 180mm



Greco suction tube without basket

RL 2066 - Ø 3,3mm, ang. 45°, 210mm
RL 2068 - Ø 5,0mm, ang. 45°, 210mm



80 YEARS
1943-2023



August Reuchlen GmbH

Junkersstr. 8
78532 Tuttlingen
Germany
Tel.: +49 (0) 74 61 / 96 52 - 0
Fax: +49 (0) 74 61 / 96 52 - 50
info@reuchlen.com

www.reuchlen.com

